Cal. 8B92

INSTRUCTIONS	(P. 3)
BEDIENUNGSANLEITUNG	(S. 66)
INSTRUCTIONS	(P. 128)
ISTRUZIONI	(P. 190)
INSTRUCCIONES	(P. 252)
	(314)

Q WORLD TIME FUNCTION

•

Ô Radio signal reception range : the United States of America (WWVB)

The reception range from the transmitting station is approximately 3,000 km (3,000 km radius of the transmitting station). There are four time zones within the reception range.

Ô Radio signal reception range : Germany (DCF77)

Ô To Improve Radio Signal Reception

- Place the watch in a place where it can easily receive a radio signal such as near a window.
  The antenna is embedded at the 9 o'clock position of the watch. Turning the antenna toward the outside of a window or the direction facing transmitting stations helps improve 4>Tj 1 Tfe dde058l97stam k 1.898 1517.4-2.806 0.011811 190.0703 Tm (•)Tj /Span<</ActualText<FEFF0009>>> BDC ( )Tj EMC /T1_(Do

Wait for ten seconds. after the hour hand stops.
(The time zone adjustment mode is nished.)

TELEMETER

(for models with telemeter scale on the dial)

O The telemeter can provide a rough indication of the distance to the source of

Push the crown back in to the normal position to set the time by receiving a radio signal.

SPECIFICATIONS

1 Basic function..... Main time with three hands (hour, minute, and second hands), 24-hour hand, date display,