

6R35

JSY6R35D1-A1903

 IKO
ght©2


H

A



Thank you very much for choosing a SEIKO watch.
For proper and safe use of your SEIKO watch,
please read carefully the instructions in this
booklet before using it.

Keep this manual handy for easy reference.

- * Length adjustment service for metallic bands is available at the retailer from whom the watch was purchased. If you cannot have your watch repaired by the retailer from whom the watch was purchased because you received the watch as a gift, or you moved to a distant place, please contact SEIKO CUSTOMER SERVICE CENTER. The service may also be available on a chargeable basis at other retailers, however, some retailers may not undertake the service.
 - * If your watch has a protective film for preventing scratches, make sure to peel it off before using the watch. If the watch is used with the film on it, dirt, sweat, dust, or moisture may be attached to the film and may cause rust.
- 

Handling cautions

' ää Öä äÖ BÖäÖ ÖNäÖ

þ äÖ ÖBÖç þ× ää Öä BÖY BÖÖä ' äNÖ ÖNäÖ BÖäÖ ÖBÖç þ× ää Öä þ ' ääN×Ö




Daily care

The watch requires good daily care

- B P3ac Na0a00c Na00c 00p la 03c P la 0p a000eap000aBa0a0p
- + la 0Nc Ne Y Bla0a0 ac 0NaBa00a0c la 0NaB000a0
- 00a0BNU0x a00c Na000a0Nc Na0a 00a00a0B c Na0a00c Na000 00Np a0a0c Na0a0P0c la 0 la 0ae 0Na0a00
- B P3aaBa0a0p0p0x c Na0a0000a0 03Y N 0la00a0p0a0 a00c Na00 \$aa03Y 0c Na0a0p0a0 N03c 000a0 Np0 a00p a0BNU a00c Na000 a00c Na0a0a0 c Na0a0a
- 00eBa0c Na000a0 aNa00Na " B P c Na0a0a0a0Na Ba c Na0a0a0a0Na00a00e0Ne 000 03 P3ac Na0a00c Na00 \$0a0a0 Np00Np0a00 ' \$ '

Turn the crown from time to time

- H Ba00a0a0 a000p00a00a00p B0a0003c P a0a0 a0003c P 03Y aY 0a0 aY 0
- (00a0N Y 0aa0000a00a0000Na0000a0 Na0a00c 03c P 03c P
- ' 0a0c 03c P 03c P ' \$ '



Inspection and adjustment by disassembly and cleaning (overhaul)

